

DIGITAL VISIONS



Core Values

IVO Media Digital Signage systems is an integrated solutions developed to cater for the needs of today's sophisticated customers' needs and to deliver long lasting impression at the shortest possible time.

Our core values are:

- Enabling the reach out of the mass consumer markets at multiple spots
- 2. Provide dedicated channel to effectively present catchy information to capture the attention of the audience in split seconds
- 3. Simple user engagement method to collect feedbacks and response on the promotions offered
- 4. Support and enable marketing programs with attractive rewards via questionnaire or games
- 5. Robust and efficient networks to ensure smooth and continuous services
- 6. Win-win model to grow hand-in-hand with our business partner



Our Proposition

- Simple and effective Web based Admin Management dashboard at hand
 - Periodic Scheduling
 - Multiple Playlists support
 - Running Text and messages (Impromptu or emergency Messaging)
 - Real-time screenshot











- Effective network resources utilisation
 - Live streaming and/or store and play
- Single or Multiple presentation on same display
 - Embedded QR user Engagement







- Billing or Bid Calculator
 - Flexible rate for ads based on time slots, duration and frequency of play



- Systems Audit and Reporting
 - Systems Settings and configurations




- Graphical reports and analysis



IVO ECO-platform

A complete online to offline (O2O) eco-platform can be achieved with the collaborative effort of a robust managed Wifi marketing, interactive indoor mapping and directory services.

The overview of the platform is as below:





Hardware Specifications

1.0 Central Management Server



Hardware Specifications	
Handling Capacity	up to 50 IVO Box per central server
Network Interface	10/100/1000* Mb/s X 2 (Management port) & (IVO Box management port)
Data and functionality	Store, Streaming, & Manage Mode Live Stream Mode
Front Interface	2 X USB 2.0 ports, Power Button, Reboot Button
Power Supply	115 ~ 240V AC auto select
Dimension	482*88.8*350 (mm) Standard 2U rack mount

NB: Minimum requirement and requirements may varies to cater for the capacity as the number of display screens increase



2.0 Media Box





High Res 1920*1080p



HDMI Connection



Build in Wi-Fi



Network Ready

- CPU AMLogic S905W quad core ARM Cortex-A53 @ up to 2.0GHz
- GPU Penta-core Mali-450MP GPU @ 750 MHz
- **OS Android 7.1.2**
- Memory 1GB DDR3
- Storage 8GB eMMC flash + micro SD card slot (up to 32GB)
- Video Output HDMI 2.0 up to 4K @ 60 fps, AV port
- Audio HDMI, AV port (stereo audio)
- Video Codecs 4K H.265, MPEG1/2/4, H.264, HD AVC/VC-1, RM/RMVB, Xvid/DivX3/4/5/6, RealVideo8/9/10
- Video Formats 4K@30fps, H.265, AVI, H.264, VC-1, MPEG-2, MPEG-4, DIVD/DIVX, Real8/9/10, RM,RMVB, PMP, FLV, MP4, M4V, VOB, WMV, 3GP, MKV
- Connectivity 10/100M Ethernet, 802.11 b/g/n Wi-Fi
- USB 2x USB 2.0 host ports
- Misc IR receiver
- Power Supply DC 5V/2A
- **Dimensions 82 x 82 x 17mm**



Suite of Solutions

Our suite of solutions also include:

IVO MEDIA, Digital Signage Systems

BITS IPTV Systems

ALPS GATEWAY, INTERNET Access Management

ALPS NIMS, Network Intelligence & Marketing Solutions

TEAMS IMS, Interior Mapping Systems

Contact Us:

Antechnic Systems Sdn Bhd (665321-M)
(an associate company of eBahn Solutions)
No. 7, 2nd Floor, Jalan SS15/4B, 47500 Subang Jaya, Selangor, Malaysia
Tel: (603) 6733 8828

www.eBahn-solutions.com